

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG.6




FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17

FIG. 18




FIG. 18




FIG. 19


[illegible]

FIG. 20




FIG. 21

FIG. 21





FIG. 22




FIG. 23

FIG. 24




FIG. 24

Retention Time




FIG. 25

FIG. 26




FIG. 26

11-03-2010 10:00:00




FIG. 28

70610" 210302260




FIG. 29




FIG. 30




FIG. 31

FIG. 32




FIG. 32

FIG. 33




FIG. 33

FIG. 35




FIG. 35

FIG. 36




FIG. 36





FIG. 39

FIG. 40 - 2000-4000





FIG. 40


reading number ~40 minutes total

FIG. 41



reading number ~40 minutes total

FIG. 41



reading number ~40 minutes total

FIG. 42

reading number ~40 minutes total

FIG. 43

reading number ~30 minutes total

FIG. 44




FIG. 45




FIG. 46

FIG. 48




FIG. 48

FIG. 49




FIG. 49

FOUEN-27602260




FIG. 50